

**Contents**

---

---

---

---

---


---

---

---

---

---



# Tools & Accessories



**EUROBOOR ECO.30 MAGNETIC  
BASE DRILL > 30MM  
ECO.30**

Due to its compact size the ECO.30 is the ideal machine to drill holes in small spaces. The ECO.30 measures barely 27.5cm long and weighs only 8.5kg. With its 900W power the ECO.30 cuts holes between 12-30mm easily and quickly.



**EUROBOOR ECO.36 LOW  
PROFILE MAG DRILL  
ECO.36**

The Euroboor ECO.36 magnetic core drilling machine is the lowest drilling machine in the market, measuring only 165 mm in height. This magnetic core drilling machine is perfect for drilling in spaces with limited heights such as H-beams, steel structures, plates, profiles, etc. The portable ECO.36 is equipped with a powerful magnet, user friendly Quick Connect cutter fitment system, and easy release / lock feed handle for both left and right operation.



**EUROBOOR MAGNETIC BASE  
DRILL > 32MM  
ECO.32**

The ECO.32 has been the best-selling magnetic drilling machine in the recent years. The sufficient basic model has been provided with an eager single speed 1000 W motor. At no more than 12 kg the ECO.32 is the lightest and most compact magnetic drilling machine in the ECO series.



The Euroboor TUBE.30 with patented shallow-field magnetic technology, is suitable for both flat and pipe material and offers incredibly strong grip, even on steel as thin as 3mm. This magnetic core drilling machine automatically pivots to conform to any pipe of 75mm diameter or larger. The magnet does not require electricity, so all the power goes to the motor. This offers increased safety as the drilling machine will not release from the target material in the event of an unintentional power loss.



**EUROBOOR MAGNETIC BASE  
TUBE DRILL - 30MM  
ECO-TUBE.30**



ANNULAR CUTTER			
Ø	ANNULAR CUTTER	Ø	ANNULAR CUTTER
12Ø x 30mm	HMSU.120	12Ø x 55mm	HMLU.120
13Ø x 30mm	HMSU.130	13Ø x 55mm	HMLU.130
14Ø x 30mm	HMSU.140	14Ø x 55mm	HMLU.140
15Ø x 30mm	HMSU.150	15Ø x 55mm	HMLU.150
16Ø x 30mm	HMSU.160	16Ø x 55mm	HMLU.160
17Ø x 30mm	HMSU.170	17Ø x 55mm	HMLU.170
18Ø x 30mm	HMSU.180	18Ø x 55mm	HMLU.180
19Ø x 30mm	HMSU.190	19Ø x 55mm	HMLU.190
20Ø x 30mm	HMSU.200	20Ø x 55mm	HMLU.200
21Ø x 30mm	HMSU.210	21Ø x 55mm	HMLU.210
22Ø x 35mm	HMSU.220	22Ø x 55mm	HMLU.220
23Ø x 35mm	HMSU.230	23Ø x 55mm	HMLU.230
24Ø x 35mm	HMSU.240	24Ø x 55mm	HMLU.240
25Ø x 35mm	HMSU.250	25Ø x 55mm	HMLU.250
26Ø x 35mm	HMSU.260	26Ø x 55mm	HMLU.260
27Ø x 35mm	HMSU.270	27Ø x 55mm	HMLU.270
28Ø x 35mm	HMSU.280	28Ø x 55mm	HMLU.280
29Ø x 35mm	HMSU.290	29Ø x 55mm	HMLU.290
30Ø x 35mm	HMSU.300	30Ø x 55mm	HMLU.300
31Ø x 35mm	HMSU.310	31Ø x 55mm	HMLU.310
32Ø x 35mm	HMSU.320	32Ø x 55mm	HMLU.320
33Ø x 35mm	HMSU.330	33Ø x 55mm	HMLU.330
34Ø x 35mm	HMSU.340	34Ø x 55mm	HMLU.340
35Ø x 35mm	HMSU.350	35Ø x 55mm	HMLU.350
36Ø x 35mm	HMSU.360	36Ø x 55mm	HMLU.360
37Ø x 35mm	HMSU.370	37Ø x 55mm	HMLU.370
38Ø x 35mm	HMSU.380	38Ø x 55mm	HMLU.380
39Ø x 35mm	HMSU.390	39Ø x 55mm	HMLU.390
40Ø x 35mm	HMSU.400	40Ø x 55mm	HMLU.400
41Ø x 35mm	HMSU.410	41Ø x 55mm	HMLU.410
42Ø x 35mm	HMSU.420	42Ø x 55mm	HMLU.420
43Ø x 35mm	HMSU.430	43Ø x 55mm	HMLU.430
44Ø x 35mm	HMSU.440	44Ø x 55mm	HMLU.440
45Ø x 35mm	HMSU.450	45Ø x 55mm	HMLU.450
46Ø x 35mm	HMSU.460	46Ø x 55mm	HMLU.460
47Ø x 35mm	HMSU.470	47Ø x 55mm	HMLU.470
48Ø x 35mm	HMSU.480	48Ø x 55mm	HMLU.480
49Ø x 35mm	HMSU.490	49Ø x 55mm	HMLU.490
50Ø x 35mm	HMSU.500	50Ø x 55mm	HMLU.500

EUROBOOR PILOT PIN	
DESCRIPTION	CALIBRI (BODY)
IBC.100	Euroboor Pilot Pin 123mm (Suits HCL 61-130mm)
IBC.130	Euroboor Pilot Pin 162mm (Suits HMX, HCX 61mm +)
IBC.2P-144	Euroboor Extended Pilot Pin 144mm x 8mm
IBC.70	Euroboor Pilot Pin 77mm (Suits HCS 12-60mm)
IBC.75	Euroboor Pilot Pin 87mm (Suits HMS 12-17mm)
IBC.80	Euroboor Pilot Pin 103mm (Suits HML18-60mm)
IBC.85	Euroboor Pilot Pin 90mm (Suits HMS 18-50mm)
IBC.90	Euroboor Pilot Pin 102mm (Suits HCL 12-60mm)
IBC.K100	Euroboor Pilot Pin 203mm (Suits HCX.12- 20mm )
IBC.K25	Euroboor Pilot Pin 125mm (Suits HCY 14-50mm - Not HCX)
IBC.K50	Euroboor Pilot Pin 155mm (Suits HCX 18-50mm)
IBC.K75	Euroboor Pilot Pin 177mm (Suits HCL 12-60mm + 75Ext)
IBCRB6-1	Imperial USA Recip Blade Carbide Grit 6 Inch - Pack 1





JOBBER DRILL SET		JOBBER DRILL SET		JOBBER DRILL SET		JOBBER DRILL SET	
Ø	GOLD	Ø	GOLD	Ø	GOLD	Ø	GOLD
0.3mm	9LM003	3.3mm	9LM033	6.5mm	9LM065	9.8mm	9LM098
0.4mm	9LM004	3.4mm	9LM034	6.6mm	9LM066	9.9mm	9LM099
0.5mm	9LM005	3.5mm	9LM035	6.7mm	9LM067	10mm	9LM100
0.58mm	9LM0058	3.6mm	9LM036	6.8mm	9LM068	10.1mm	9LM101
0.6mm	9LM006	3.7mm	9LM037	6.9mm	9LM069	10.2mm	9LM102
0.7mm	9LM007	3.8mm	9LM038	7mm	9LM070	10.3mm	9LM103
0.8mm	9LM008	3.9mm	9LM039	7.1mm	9LM071	10.4mm	9LM104
0.9mm	9LM009	4mm	9LM040	7.2mm	9LM072	10.5mm	9LM105
1mm	9LM010	4.1mm	9LM041	7.3mm	9LM073	10.6mm	9LM106
1.1mm	9LM011	4.2mm	9LM042	7.4mm	9LM074	10.7mm	9LM107
1.2mm	9LM012	4.3mm	9LM043	7.5mm	9LM075	10.8mm	9LM108
1.3mm	9LM013	4.4mm	9LM044	7.6mm	9LM076	10.9mm	9LM109
1.4mm	9LM014	4.5mm	9LM045	7.7mm	9LM077	11mm	9LM110
1.5mm	9LM015	4.6mm	9LM046	7.8mm	9LM078	11.1mm	9LM111
1.6mm	9LM016	4.7mm	9LM047	7.9mm	9LM079	11.2mm	9LM112
1.7mm	9LM017	4.8mm	9LM048	8mm	9LM080	11.3mm	9LM113
1.8mm	9LM018	4.9mm	9LM049	8.1mm	9LM081	11.4mm	9LM114
1.9mm	9LM019	5mm	9LM050	8.2mm	9LM082	11.5mm	9LM115
2mm	9LM020	5.1mm	9LM051	8.3mm	9LM083	11.6mm	9LM116
2.1mm	9LM021	5.2mm	9LM052	8.4mm	9LM084	11.7mm	9LM117
2.2mm	9LM022	5.3mm	9LM053	8.5mm	9LM085	11.8mm	9LM118
2.25mm	9LM0225	5.4mm	9LM054	8.6mm	9LM086	11.9mm	9LM119
2.3mm	9LM023	5.5mm	9LM055	8.7mm	9LM087	12mm	9LM120
2.4mm	9LM024	5.6mm	9LM056	8.8mm	9LM088	12.1mm	9LM121
2.5mm	9LM025	5.7mm	9LM057	8.9mm	9LM089	12.2mm	9LM122
2.6mm	9LM026	5.8mm	9LM058	9mm	9LM090	12.3mm	9LM123
2.7mm	9LM027	5.9mm	9LM059	9.1mm	9LM091	12.4mm	9LM124
2.75mm	9LM0275	6mm	9LM060	9.2mm	9LM092	12.5mm	9LM125
2.8mm	9LM028	6.1mm	9LM061	9.3mm	9LM093	12.6mm	9LM126
2.9mm	9LM029	6.15mm	9LM0615	9.4mm	9LM094	12.7mm	9LM127
3mm	9LM030	6.2mm	9LM062	9.5mm	9LM095	12.8mm	9LM128
3.1mm	9LM031	6.3mm	9LM063	9.6mm	9LM096	12.9mm	9LM129
3.2mm	9LM032	6.4mm	9LM064	9.7mm	9LM097	13mm	9LM130

ALPHA STEP DRILL SPIRAL FLUTE	
Ø	GOLD
4-12mm	9STSF4-12S
4-20mm	9STSF4-20S
6-30mm	9STSF6-30S
6-36mm	9STSF6-36S



ALPHA HEX SHANK	
Ø	GOLD
1.5mm	9QRM015
2mm	9QRM020
2.4mm	9QRM024
3mm	9QRM030
3.2mm	9QRM032
3.3mm	9QRM033
3.5mm	9QRM035
3.6mm	9QRM036
4mm	9QRM040
4.2mm	9QRM042
4.5mm	9QRM045
4.8mm	9QRM048
5mm	9QRM050
5.5mm	9QRM055
5.6mm	9QRM056
6mm	9QRM060
6.3mm	9QRM063
6.5mm	9QRM065



ALPHA DOUBLE END PANEL DRILL	
Ø	GOLD
No 11 - 4.85mm	9D11
No 20 - 4.09mm	9D20
No 30 - 3.26mm	9D30





REDUCED SHANK	
Ø	GOLD
10.5mm	C9LM105R
11mm	C9LM110R
11.5mm	C9LM115R
12mm	C9LM120R
12.5mm	C9LM125R
13mm	C9LM130R
13.5mm	C9LM135R
14mm	C9LM140R
14.5mm	C9LM145R
15mm	C9LM150R
15.5mm	C9LM155R
16mm	C9LM160R
16.5mm	C9LM165R
17mm	C9LM170R
17.5mm	C9LM175R
18mm	C9LM180R
18.5mm	C9LM185R
19mm	C9LM190R
19.5mm	C9LM195R
20mm	C9LM200R
20.5mm	C9LM205R
21mm	C9LM210R
21.5mm	C9LM215R
22mm	C9LM220R
22.5mm	C9LM225R
23mm	C9LM230R
23.5mm	C9LM235R
24mm	C9LM240R
24.5mm	C9LM245R
25mm	C9LM250R
26mm	C9LM260R
27mm	C9LM270R
28mm	C9LM280R
29mm	C9LM290R
30mm	C9LM300R
32mm	C9LM320R

METRIC DRILL SET	
1.5-6.5 - 13 Piece	SM13G
1.0-10.0 - 19 Piece	SM19G
1.0-13.0 - 25 Piece	SM25G

IMPERIAL DRILL SET	
1/16"-1/4" - 13 Piece	SI13G
1/16"-3/8" - 21 Piece	SI21G
1/16"-1/2" - 29 Piece	SI29G

GOLD STUB DRILL	
Ø	METRIC
2mm	9SM020
2.25mm	9SM0225
2.5mm	9SM025
2.75mm	9SM0275
3mm	9SM030
3.5mm	9SM035
4mm	9SM040
4.5mm	9SM045
4.9mm	9SM049
5mm	9SM050
5.1mm	9SM051
5.5mm	9SM055
6mm	9SM060
6.5mm	9SM065
7mm	9SM070
8mm	9SM080
9mm	9SM090
10mm	9SM100
12mm	9SM120
12.5mm	9SM125
13mm	9SM130





CENTRE DRILL				
Ø	OAL	Ø	SHANK LENGTH	CODE
1/8"	32mm	3.15mm	10mm	9CD1-18
3/16"	47mm	4.7mm	12.7mm	9CD2-316
1/4"	50mm	6.3mm	14.6mm	9CD3-14
5/16"	53mm	7.9mm	16.7mm	9CD4-516
7/16"	69mm	11mm	22.3mm	9CD5-716
1/2"	75mm	12.7mm	25.3mm	9CD6-12
3/4"	88mm	19mm	31.7mm	9CD8-34



CROSS HOLE 90°	
Ø	CROSS HOLE 90°
10mm	CSCH-10
14mm	CSCH-14
21.5mm	CSCH-21
28mm	CSCH-28
35mm	CSCH-35
44mm	CSCH-44

SHIPPER AUGER DRILL	
Ø X L	CODE
6mm x 200mm	WA060200
6mm x 450mm	WA060450
8mm x 200mm	WA080200
8mm x 450mm	WA080450
10mm x 200mm	WA100200
10mm x 460mm	WA100460
10mm x 600mm	WA100600
12mm x 200mm	WA120200
12mm x 460mm	WA120460
12mm x 600mm	WA120600
14mm x 200mm	WA140200
14mm x 450mm	WA140450
14mm x 600mm	WA140600
15mm x 200mm	WA150200
16mm x 200mm	WA160200
16mm x 450mm	WA160450
16mm x 600mm	WA160600
18mm x 200mm	WA180200
18mm x 450mm	WA180450
18mm x 600mm	WA180600
20mm x 200mm	WA200200
20mm x 450mm	WA200450
20mm x 600mm	WA200600
21mm x 210mm	WA210210

SHIPPER AUGER DRILL	
Ø X L	CODE
22mm x 200mm	WA220200
22mm x 450mm	WA220450
22mm x 600mm	WA220600
24mm x 200mm	WA240200
24mm x 450mm	WA240450
24mm x 600mm	WA240600
25mm x 200mm	WA250200
25mm x 450mm	WA250450
25mm x 600mm	WA250600
26mm x 200mm	WA260200
26mm x 450mm	WA260450
26mm x 600mm	WA260600
28mm x 200mm	WA280200
28mm x 450mm	WA280450
28mm x 600mm	WA280600
30mm x 200mm	WA300200
30mm x 450mm	WA300450
30mm x 600mm	WA300600
32mm x 200mm	WA320200
32mm x 600mm	WA320600
34mm x 600mm	WA340600
35mm x 200mm	WA350200
36mm x 200mm	WA360200
36mm x 600mm	WA360600
36mm x 200mm	WA36X200
36mm x 600mm	WA36X600





HOLE SAW	
Ø	BI METAL
14mm	HSV14
16mm	HSV16
17mm	HSV17
19mm	HSV19
20mm	HSV20
21mm	HSV21
22mm	HSV22
24mm	HSV24
25mm	HSV25
27mm	HSV27
29mm	HSV29
30mm	HSV30
32mm	HSV32
33mm	HSV33
35mm	HSV35
37mm	HSV37
38mm	HSV38
40mm	HSV40
41mm	HSV41
43mm	HSV43
44mm	HSV44
45mm	HSV45
46mm	HSV46
48mm	HSV48
52mm	HSV52
54mm	HSV54
55mm	HSV55
57mm	HSV57
59mm	HSV59
64mm	HSV64
67mm	HSV67

HOLE SAW	
Ø	BI METAL
68mm	HSV68
70mm	HSV70
73mm	HSV73
75mm	HSV75
76mm	HSV76
79mm	HSV79
83mm	HSV83
86mm	HSV86
89mm	HSV89
92mm	HSV92
95mm	HSV95
98mm	HSV98
100mm	HSV100
102mm	HSV102
105mm	HSV105
108mm	HSV108
111mm	HSV111
114mm	HSV114
121mm	HSV121
127mm	HSV127
140mm	HSV140
146mm	HSV146
152mm	HSV152
160mm	HSV160
168mm	HSV168
177mm	HSV177
185mm	HSV185
200mm	HSV200
210mm	HSV210
250mm	HSV250

HOLE SAW	
Ø	MULTI-PURPOSE
16mm	HSTCT-16
20mm	HSTCT-20
22mm	HSTCT-22
25mm	HSTCT-25
27mm	HSTCT-27
30mm	HSTCT-30
32mm	HSTCT-32
35mm	HSTCT-35
38mm	HSTCT-38
40mm	HSTCT-40
44mm	HSTCT-44
45mm	HSTCT-45
50mm	HSTCT-50
51mm	HSTCT-51
54mm	HSTCT-54
55mm	HSTCT-55
57mm	HSTCT-57
60mm	HSTCT-60
64mm	HSTCT-64
67mm	HSTCT-67
68mm	HSTCT-68
70mm	HSTCT-70
73mm	HSTCT-73
76mm	HSTCT-76
80mm	HSTCT-80
82mm	HSTCT-82
86mm	HSTCT-86
89mm	HSTCT-89
92mm	HSTCT-92
102mm	HSTCT-102
114mm	HSTCT-114
125mm	HSTCT-125
140mm	HSTCT-140
152mm	HSTCT-152

DART 9 PIECE HOLE SAW KIT	
DESCRIPTION	CODE
Cutting Depth: 38mm Diameter (mm): 19, 22, 29, 38, 44, 51, 57mm	HSKPLW16

SDS PLUS MASONRY DRILL BIT					
Ø X L	MASONRY DRILL BIT	Ø X L	MASONRY DRILL BIT	Ø X L	MASONRY DRILL BIT
4mm x 110mm	SP040110G	10mm x 110mm	SP100160	16mm x 160mm	SP160160G
4mm x 160mm	SP040160G	10mm x 160mm	SP100160	16mm x 210mm	SP160210G
5mm x 110mm	SP050110G	10mm x 210mm	SP100210	16mm x 260mm	SP160260G
5mm x 160mm	SP050160G	10mm x 260mm	SP100260	16mm x 310mm	SP160310G
5mm x 210mm	SP050210G	10mm x 310mm	SP100310	16mm x 450mm	SP160450G
5.5mm x 110mm	SP055110G	10mm x 350mm	SP100350	16mm x 600mm	SP160600G
5.5mm x 160mm	SP055160G	10mm x 450mm	SP100450	16mm x 800mm	SP160800G
5.5mm x 210mm	SP055210G	10mm x 600mm	SP100600	16mm x 1000mm	SP1601000G
5.5mm x 310mm	SP055310G	10mm x 1000mm	SP1001000	18mm x 200mm	SP180200G
6mm x 110mm	SP060110G	11mm x 260mm	SP110260	18mm x 300mm	SP180300G
6mm x 160mm	SP060160G	12mm x 160mm	SP120160	18mm x 450mm	SP180450G
6mm x 210mm	SP060210G	12mm x 210mm	SP120210	18mm x 600mm	SP180600G
6mm x 310mm	SP060310G	12mm x 260mm	SP120260	18mm x 1000mm	SP1801000G
6mm x 460mm	SP060460G	12mm x 310mm	SP120310	20mm x 200mm	SP200200G
6.5mm x 110mm	SP065110G	12mm x 360mm	SP120360	20mm x 300mm	SP200300G
6.5mm x 160mm	SP065160G	12mm x 450mm	SP120450	20mm x 450mm	SP200450G
6.5mm x 210mm	SP065210G	12mm x 600mm	SP120600	20mm x 600mm	SP200600G
6.5mm x 260mm	SP065260G	12mm x 1000mm	SP1201000	22mm x 250mm	SP220250G
6.5mm x 310mm	SP065310G	13mm x 160mm	SP130160	22mm x 450mm	SP220450G
7mm x 160mm	SP070160G	13mm x 210mm	SP130210	22mm x 600mm	SP220600G
7mm x 250mm	SP070250G	13mm x 310mm	SP130310	23mm x 450mm	SP230450G
7mm x 450mm	SP070450G	13mm x 450mm	SP130450	24mm x 250mm	SP240250G
8mm x 110mm	SP080110G	13mm x 600mm	SP130600	24mm x 450mm	SP240450G
8mm x 160mm	SP080160G	14mm x 260mm	SP140260	25mm x 250mm	SP250250G
8mm x 210mm	SP080210G	14mm x 310mm	SP140310	25mm x 450mm	SP250450G
8mm x 260mm	SP080260G	14mm x 450mm	SP140450	25mm x 600mm	SP250450G
8mm x 310mm	SP080310G	14mm x 600mm	SP140600	26mm x 250mm	SP260250G
8mm x 460mm	SP080460G	14 mm x 1000mm	SP1401000	26mm x 450mm	SP260450G
8mm x 600mm	SP080600G	15mm x 260mm	SP150260		
9mm x 210mm	SP090210G	15mm x 450mm	SP150450		



SDS PLUS ZENTRO DRILL BIT

Ø X L	4 CUTTER	Ø X L	4 CUTTER
5mm x 110mm	SPZ050110	14mm x 260mm	SPZ120260
5mm x 160mm	SPZ050160	14mm x 450mm	SPZ120450
5.5mm x 110mm	SPZ055110	16mm x 260mm	SPZ160260
5.5mm x 160mm	SPZ055160	16mm x 450mm	SPZ160450
6mm x 110mm	SPZ060110	18mm x 250mm	SPZ180250
6mm x 160mm	SPZ060160	18mm x 450mm	SPZ180450
6mm x 210mm	SPZ060210	20mm x 250mm	SPZ200250
6.5mm x 110mm	SPZ065110	20mm x 450mm	SPZ200450
6.5mm x 160mm	SPZ065160	22mm x 250mm	SPZ220250
6.5mm x 210mm	SPZ065210	22mm x 450mm	SPZ220450
8mm x 160mm	SPZ080160	24mm x 250mm	SPZ240250
8mm x 210mm	SPZ080210	24mm x 450mm	SPZ240450
10mm x 160mm	SPZ100160	25mm x 250mm	SPZ250250
10mm x 210mm	SPZ100210	25mm x 450mm	SPZ250450
10mm x 260mm	SPZ100260	28mm x 250mm	SPZ280250
12mm x 160mm	SPZ120160	28mm x 450mm	SPZ280450
12mm x 210mm	SPZ120210	30mm x 250mm	SPZ300250
12mm x 260mm	SPZ120260	30mm x 450mm	SPZ300450
12mm x 310mm	SPZ120310	32mm x 450mm	SPZ320450

SDS PLUS CHISELS

WIDTH	LENGTH	FITMENT	DESCRIPTION	CODE
	250	SDS PLUS	Pointed Chisel	SPPC250
20	250	SDS PLUS	Flat Chisel	SPFC20250
40	250	SDS PLUS	Spade Chisel	SPSC40250
22	250	SDS PLUS	Hollow Chisel	SPHOL250

SDS MAX MASONRY DRILL BIT

Ø X L	4 CUTTER	Ø X L	4 CUTTER
12mm x 340mm	SXZ12340	26mm x 300mm	SXZ26300
12mm x 540mm	SXZ12540	26mm x 520mm	SXZ26520
14mm x 340mm	SXZ14340	28mm x 370mm	SXZ28370
14mm x 540mm	SXZ14540	28mm x 570mm	SXZ28570
14mm x 920mm	SXZ14920	30mm x 570mm	SXZ28920
16mm x 340mm	SXZ16340	32mm x 370mm	SXZ30370
16mm x 540mm	SXZ16540	32mm x 570mm	SXZ30570
16mm x 920mm	SXZ16920	32mm x 920mm	SXZ32370
18mm x 340mm	SXZ18340	35mm x 570mm	SXZ32570
18mm x 540mm	SXZ18540	35mm x 920mm	SXZ32920
18mm x 920mm	SXZ18920	37mm x 570mm	SXZ35570
20mm x 320mm	SXZ20320	38mm x 370mm	SXZ35920
20mm x 520mm	SXZ20520	38mm x 570mm	SXZ37570
20mm x 920mm	SXZ20920	40mm x 370mm	SXZ38370
22mm x 320mm	SXZ22320	40mm x 570mm	SXZ38570
22mm x 520mm	SXZ22520	40mm x 920mm	SXZ40370
22mm x 920mm	SXZ22920	45mm x 570mm	SXZ40570
24mm x 320mm	SXZ24320	50mm x 570mm	SXZ40920
24mm x 520mm	SXZ24520	52mm x 570mm	SXZ45570
25mm x 320mm	SXZ25320		
25mm x 520mm	SXZ25520		
25mm x 920mm	SXZ25920		

SDS MAX CHISELS

WIDTH	LENGTH	FITMENT	DESCRIPTION	CODE
	280mm	SDS MAX	Pointed Chisel	SXPC280
	400mm	SDS MAX	Pointed Chisel	SXPC400
	600mm	SDS MAX	Pointed Chisel	SXPC600
25mm	280mm	SDS MAX	Flat Chisel	SXFC25280
25mm	400mm	SDS MAX	Flat Chisel	SXFC25400
25mm	600mm	SDS MAX	Flat Chisel	SXFC25600
50mm	400mm	SDS MAX	Spade Chisel	SXSC50400
80mm	300mm	SDS MAX	Spade Chisel	SXSC80300
26mm	300mm	SDS MAX	Hollow Chisel	SXHOL300



STRAIGHT SHANK	
Ø X L	CODE
3mm x 65mm	MA030065
3.5mm x 75mm	MA035075
4mm x 75mm	MA040075
4.5mm x 65mm	MA045065
4.5mm x 150mm	MA045150
5mm x 85mm	MA050085
5mm x 150mm	MA050150
5.5mm x 85mm	MA055085
5.5mm x 150mm	MA055150
6mm x 100mm	MA060100
6mm x 150mm	MA060150
6.5mm x 100mm	MA065100
6.5mm x 150mm	MA065150
6.5mm x 300mm	MA065300
7mm x 100mm	MA070100
8mm x 120mm	MA080120
8mm x 150mm	MA080150
8mm x 300mm	MA080300
10mm x 120mm	MA100120
10mm x 150mm	MA100150
10mm x 400mm	MA100400
11mm x 150mm	MA110150
12mm x 150mm	MA120150
12mm x 400mm	MA120400
13mm x 150mm	MA130150
14mm x 210mm	MA140210
16mm x 150mm	MA160150
16mm x 400mm	MA160400

DRIVERS S SERIES		
#	LENGTH	SQUARE
0	50mm	SQ050S
0	89mm	SQ089S
1	25mm	SQ125S
1	50mm	SQ150S
1	75mm	SQ175S
1	90mm	SQ190S
1	100mm	SQ1100S
1	150mm	SQ1150S
2	25mm	SQ225S
2	50mm	SQ250S
2	75mm	SQ275S
2	90mm	SQ290S
2	100mm	SQ2100S
2	132mm	SQ2132S
2	150mm	SQ2150S
3	25mm	SQ325S
3	50mm	SQ350S
3	75mm	SQ375S
3	100mm	SQ3100S
3	150mm	SQ3150S

DRIVERS S SERIES		
#	LENGTH	POZI
1	25mm	PZ125S
1	50mm	PZ150S
1	75mm	PZ175S
1	150mm	PZ1150S
2	25mm	PZ225S
2	50mm	PZ250S
2	75mm	PZ275S
2	89mm	PZ289S
2	120mm	PZ2120S
2	150mm	PZ2150S
3	25mm	PZ325S
3	50mm	PZ350S
3	75mm	PZ375S
3	89mm	PZ389S

DRIVERS S SERIES		
#	LENGTH	PHILLIPS
0	75mm	PH075S
1	25mm	PH125S
1	50mm	PH150S
1	75mm	PH175S
1	92mm	PH192S
1	100mm	PH1100S
1	150mm	PH1150S
2	25mm	PH1150S
2	50mm	PH225S
2	65mm	PH250S
2	75mm	PH275S
2	92mm	PH292S
2	100mm	PH2100S
2	150mm	PH2150S
2	200mm	PH2200S
2	250mm	PH2250S
3	25mm	PH325S
3	50mm	PH350S
3	75mm	PH375S
3	100mm	PH3100S
3	150mm	PH3150S

DRIVERS S SERIES					
#	LENGTH	SLOT	#	LENGTH	TORX
3	50mm	SL350S	20	50mm	TX2050S
5	50mm	SL550S	20	75mm	TX2075S
5	75mm	SL575S	25	50mm	TX2550S
6	50mm	SL625S	25	75mm	TX2575S
8	50mm	SL650S	30	50mm	TX3050S
8	50mm	SL850S			
10	25mm	SL1025S			





MAGNETIC NUTSETTER					
HEX SIZE	LENGTH	METRIC	HEX SIZE	LENGTH	IMPERIAL
7mm	65	NS765	1/4"	42	NS1442
8mm	65	NS865	1/4"	65	NS1465
10mm	65	NS1065	1/4"	100	NS14100
12mm	55	NS1255	5/16"	42	NS51642
13mm	55	NS1355	5/16"	65	NS51665
			5/16"	100	NS516100
			5/16"	150	NS516150
			5/16"	200	NS516200
			5/16"	300	NS516300
			3/8"	42	NS3842
			3/8"	65	NS3865
			3/8"	150	NS38150
			7/16"	65	NS71665
			9/16"	65	NS91665



MAGNETIC BIT HOLDER		
DRIVER	LENGTH	MAGNETIC BIT HOLDER
1/4"	54mm	MBHC54
1/4"	75mm	MBHC75
1/4"	150mm	MBHC150
1/4"	300mm	MBHC300



CONCRETE CORE CUTTER	
Ø x L	METRIC
40mm x 310mm	CCC40X310
40mm x 550mm	CCC40X550
45mm x 310mm	CCC45X310
45mm x 550mm	CCC45X550
55mm x 310mm	CCC55X310
55mm x 550mm	CCC55X550
65mm x 310mm	CCC65X310
65mm x 550mm	CCC65X550
80mm x 310mm	CCC80X310
80mm x 550mm	CCC80X550

CRC Coloured Zinc's unique formulation combines superior rust inhibiting properties of zinc with a tough but flexible enamel coating. The coloured satin finish comes in recognised safety colours which resists undercutting and blistering from corrosion by forming an effective corrosion barrier. MPI Approved C23.



CRC BLACK ZINC AEROSOL		
CODE	SIZE	PACK QTY
2089	400ml	6

CRC Black Zinc is recommended as a top coat for added corrosion control, on fabricated metals, engine parts, starter motors, radiators and much more. Coloured zincs are quick drying, primer less topcoats, reinforced with zinc complex.



CRC BLUE ZINC		
CODE	SIZE	PACK QTY
2097	400ml	6

CRC Blue Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Ideal for use on scaffolding, garage doors, warehouse racking, fabricated metals, agricultural & factory machinery .



CRC ORANGE ZINC AEROSOL		
CODE	SIZE	PACK QTY
2101	400ml	6

CRC Orange Zinc is used on safety barriers, fork hoists, construction & mining equipment, fabricated metals and much more. High levels of anti-corrosive zinc complexes are embedded in a resin system which forms a quick-drying highly-protective enamel coating with excellent adhesion to bare metal.

**CRC RED ZINC AEROSOL**

CODE	SIZE	PACK QTY
2100	400ml	6

CRC Red Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Used on fabricated metals and surfaces where a red finish is desirable.



**CRC YELLOW ZINC AEROSOL**

CODE	SIZE	PACK QTY
2098	400ml	6

CRC Yellow Zinc provides a satin top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion by forming an effective corrosion barrier. Used on safety barriers, fork hoists, construction & mining equipment, fabricated metals and much more.



**CRC CLEAR ZINC AEROSOL**

CODE	SIZE	PACK QTY
2102	400ml	6

CRC Clear Zinc's advanced protective coating technology protects surfaces from chemical, environmental and ultraviolet damage preventing rust, oxidation, corrosion, staining, and fading, for up to 27 months. CRC Clear Zinc is an easy to use, long lasting, high performance protective clear coating that can be applied to almost any surface.



**CRC ZINC IT AEROSOL**

CODE	SIZE	PACK QTY
2025	350g	6

Easy to apply, CRC ZINC IT is a single component zinc rich compound with a special epoxy binder and contains 93% of the highest purity zinc in the dried film, to give galvanic rust prevention. This galvanic rust protection offers the same advantages as hot-dip galvanizing.



**CRC BRIGHT ZINC AEROSOL**

CODE	SIZE	PACK QTY
3370	400ml	6

Quick dry coating that combines rust inhibiting properties of Zinc with a flexible enamel coating. CRC Bright Zinc provides a gloss top-coat finish but unlike standard paint systems, resists undercutting and blistering from corrosion. It is ideal for touch-up and repair of damaged galvanised surfaces and effective long-term rust protection with the bright look of a newly galvanised surface.



**CRC PAINT MARKER PEN**

CODE	SIZE	PACK QTY
20365	BLACK	6
20369	BLUE	6
20375	GOLD	6
20380	GREEN	6
20384	ORANGE	6
20388	RED	6
20392	SILVER	6
20395	WHITE	6
20400	YELLOW	6

CRC Paint Marker Pen uses solvent based paint formula for durable marking on multiple surfaces in all weather conditions. It shows excellent coverage and is an ideal product for every toolbox. Fast drying and can be used on Wood, metal, concrete, stone, bricks, rubber, glass, textile, paper, enamel, plastic, cardboard, some tiles, etc.



SILVER SERIES GRINDING DISCS			
CODE	SIZE	MAX RPM	PACK QTY
GGDSS10060	100 x 6.0mm	15,300	10
GGDSS11560	115 x 6.0mm	13,300	10
GGDSS12560	125 x 6.0mm	12,250	10
GGDSS18060	180 x 6.0mm	8,500	10
GGDSS23060	230 x 6.0mm	6,650	10




- High Quality industrial grade grinding discs.
- MPA Tested in Hannover Germany.
- Manufactured to EN12413 Standards.
- Depressed centre, suitable for all general purpose grinding.
- Well balanced and long lasting.

SILVER SERIES FLAP DISCS				
CODE	SIZE	GRIT	MAX RPM	PACK QTY
GFDSS10040	100mm	Z40	15,300	10
GFDSS10060	100mm	Z60	15,300	10
GFDSS10080	100mm	Z80	15,300	10
GFDSS100120	100mm	Z120	15,300	10
GFDSS11540	115mm	Z40	13,300	10
GFDSS11560	115mm	Z60	13,300	10
GFDSS11580	115mm	Z80	13,300	10
GFDSS115120	115mm	Z120	13,300	10
GFDSS12540	125mm	Z40	12,250	10
GFDSS12560	125mm	Z60	12,250	10
GFDSS12580	125mm	Z80	12,250	10
GFDSS125120	125mm	Z120	12,250	10
GFDSS17840	178mm	Z40	8,500	10
GFDSS17860	178mm	Z60	8,500	10
GFDSS17880	178mm	Z80	8,500	10
GFDSS178120	178mm	Z120	8,500	10



- The ultimate performer on mild steel and stainless steel.
- Up to 15% more abrasive than other brands.
- Type 29 (15%) style with built-in grinding angle.
- Strong fibreglass backing wears as disc is consumed.



Made in Europe

GOLD SERIES CUTTING DISCS			
CODE	SIZE	MAX RPM	PACK QTY
GCDGX07510	75 x 1.0mm	20,370	25
GCDGX10010	100 x 1.0mm	15,300	25
GCDGX11510	115 x 1.0mm	13,300	25
GCDGX11516	115 x 1.6mm	13,300	25
GCDGX12510	125 x 1.0mm	12,250	25
GCDGX12516	125 x 1.6mm	12,250	25
GCDGX12525	125 x 2.5mm	12,250	25
GCDGX18016	180 x 1.6mm	8,500	25
GCDGX18025	180 x 2.5mm	8,500	25
GCDGX23019	230 x 1.9mm	6,650	25

- High quality Stainless steel grade cutting discs.
- Lower machine load extends tool life.
- Narrow cutting joints.
- Stainless steel and general metal cutting.
- Xtra Life, Xtra Balance, OSA Approved.



Made in Europe

- Excellent quality Stainless Steel grade cutting disc.
- MPA tested in Hanover Germany.
- Manufactured to EN12413 Standards.
- Well balanced discs.

SILVER SERIES CUTTING DISCS			
CODE	SIZE	MAX RPM	PACK QTY
GCDSS10010	100 x 1.0mm	15,300	50
GCDSS10024	100 x 2.4mm	15,300	50
GCDSS11510	115 x 1.0mm	13,300	50
GCDSS12510	125 x 1.0mm	12,250	50
GCDSS12516	125 x 1.6mm	12,250	50
GCDSS12525	125 x 2.5mm	12,250	50
GCDSS18020	180 x 2.0mm	8,500	25
GCDSS23020	230 x 2.0mm	6,650	25
GCDSS23024	230 x 2.4mm	6,650	25
GCDSS30540	300 x 4.0mm	6,400	10
GCDSS35528	355 x 2.8mm	4,350	10
GCDSS40040	400 x 4.0mm	4,800	5